

## A Hybrid Method for Optimization Based Visualization

Antanas Zilinskas, Audrone Jakaitiene

**Abstract:** Visualization is widely used for analysis of multidimensional data: a set of multidimensional points is mapped into 2-dimensional plane to enable heuristic analysis of the structure of the set of multidimensional points. Multidimensional scaling is a technique suitable for visualization since it maps from multidimensional space to 2-dimensional plane aiming to preserve the structure of distances between points in multidimensional space. The quality of mapping is defined by the STRESS function. The latter should be minimized but this minimization problem is multimodal. For this complicated problem a technique is developed combining a genetic type algorithm with a conjugate gradient descent routine.

**Key words:** Multidimensional data analysis, visualization, genetic algorithms, conjugate gradient algorithms, convergence.

### INTRODUCTION

Visualization is a technique for analysis of multidimensional data aimed for heuristic analysis of similarity/dissimilarity structure of the objects represented in multidimensional space by means of mapping of multidimensional points to 2-dimensional plane. Such a mapping can be implemented using methods of multidimensional scaling (MDS) aiming to preserve the structure of distances. The problem of MDS was formulated in [3] as a problem of minimization of STRESS function. The term “*multidimensional scaling*” was accepted by statisticians and users of this technique in social sciences ([6], [1]). The paper by Sammon [8] originated the development of a special version of MDS. The subsequent papers on implementation and application of Sammon’s method use the term “*nonlinear mapping technique*”; see e.g. [2]. Applications of Sammon’s method are normally oriented to the problems of pattern recognition. Although different aspects of MDS have been investigated, crucial implementation difficulties remain not resolved. In this paper MDS is considered as a specific problem of global optimization, and as a tool of visualization of information on search process in global optimization.

### FORMULATION OF MDS PROBLEM

Let us give a short formulation of the problem. The matrix  $\delta_{ij}$ ,  $i, j = 1, \dots, n$  gives the pair wise dissimilarities between  $n$  objects, and it is symmetric. Dissimilarities are data for MDS; for example, they can be obtained experimentally. In case the original data is a set of points in multidimensional space  $R^d$ , the dissimilarities are defined as distances in this space. The points  $x_i \in R^m$ ,  $i = 1, \dots, n$ , should be found whose inter-point Euclidean distances fit the given dissimilarities. The embedding Euclidean space normally is 2-dimensional ( $m=2$ ), but other dimensionalities may be also interesting for some applications, ( $m < d$ ). To find the points  $x_i$  the STRESS function  $f(X)$  should be minimized,

$$f(X) = \sum_{i < j} w_{ij} (d_{ij}(X) - \delta_{ij})^2, \quad X = (x_{11}, \dots, x_{n1}, x_{12}, \dots, x_{nm}) \quad (1)$$

where  $d_{ij}(X)$  denotes the Euclidean distance between the points  $x_i, x_j$ . It is supposed that the weights are positive:  $w_{ij} > 0$ ,  $i, j = 1, \dots, n$ .

Although the STRESS function is defined by the analytical formula (1), which seems rather simple, it normally has many local minima. The minimization problem is highly dimensional, with the number of variables equal to  $N=n \times m$ . At some points the function  $f(X)$  is not differentiable. The listed features make minimization of  $f(X)$  difficult.

### LOCAL MINIMIZATION

It is well known [4] that  $f(X)$  is differentiable at a local minimum point, i.e. if  $X$  is a local minimizer, then the following equalities and inequalities are valid

$$\frac{\partial f(X)}{\partial x_{kh}} = 2 \sum_{i \neq k} w_{ki} \left(1 - \frac{\delta_{ki}}{d_{ki}(X)}\right) (x_{kh} - x_{ih}) = 0, d_{ij}(X) > 0, i, j = 1, \dots, n.$$

In fact, the more general result may be proven:

**Proposition.** Let  $L(t)$ ,  $-\infty < t < \infty$ , be a line in  $R^N$ , containing a point at which  $f(\bullet)$  is differentiable. Then  $f(\bullet)$  is differentiable at any point  $L(t^*) \in R^N$ , where  $t^*$  is the local minimizer of  $\varphi(t) = f(L(t))$ .

It follows from the proposition that a local descent trajectory escapes the points of non-differentiability of  $f(\bullet)$ . Therefore, a fast local descent method may be applied to find a local minimizer of  $f(\bullet)$ . It is well known that variable metric methods are efficient for local minimization of  $f(X)$  in case of not too high dimensionality  $N$ . For very high dimensionalities a conjugate gradient method seems promising. From a theoretical point of view the rate of convergence is most important feature of an algorithm. The super linear convergence rate of a conjugate gradient method may be proved under mild assumptions on an objective function. However, the quadratic convergence is proved assuming the norm of Hessian of the objective function be bounded from zero. Let us analyze the second directional derivative of  $f(X)$  at a local minimum point  $X_*$  with respect to the direction  $S$ :

$$\varphi(t, S) = f(X_* + t \cdot S), \varphi'(0, S) = 0,$$

$$\varphi'(0, S) = 2 \sum_{i < j} w_{ij} \left(1 - \frac{\delta_{ij}}{d_{ij}(X)}\right) \sum_{h=1}^m (x_{ih} - x_{jh})(s_{ih} - s_{jh}),$$

$$\varphi''(0, S) = 2 \sum_{i < j} w_{ij} \left\{ d_{ij}^2(S) - \frac{\delta_{ij}}{d_{ij}^3(X)} (d_{ij}^2(S) \cdot d_{ij}^2(X) - \left[ \sum_{h=1}^m (x_{ih} - x_{jh})(s_{ih} - s_{jh}) \right]^2) \right\}.$$

At a local minimum point the inequality  $\varphi''(0, S) \geq 0$  holds for any  $S$ . For the directions  $S$  corresponding to the translations and rotations of the embedding space the inequality is reduced to the equality  $\varphi''(0, S) = 0$ . The latter equality implies the degeneracy of Hessian. To ensure the quadratic convergence of the conjugate gradient method the problem should be regularized. The simplest regularization is the fixation of several variables to exclude invariance with respect to translations and rotations of the embedding space; see e.g. [9]. However, specific positions of few points have no advantages for heuristic analysis of the images in the embedding space. The regularization can be achieved excluding invariance with respect to translations and rotations (in the 2-dimensional case,  $m=2$ ) by the equality constraints:

$$\sum_{i=1}^n x_{i1} = \sum_{i=1}^n x_{i2} = \sum_{i=1}^n x_{i1} x_{i2} = 0. \quad (2)$$

**Proposition.** The Polak – Ribiere conjugate gradient method converges to a local minimizer of regularized minimization problem quadratically with respect to the number of iterations including  $2n-3$  exact line searches.

Since the analytic expressions of the first and second directional derivatives are available, then a high precision line search method based on forth degree polynomial interpolation may be easily implemented.

### A HYBRID METHOD

Several algorithms of minimization of the *STRESS* are available. The theoretical results of the previous section show that the non-differentiability of (1) is not a concern if a local descent method is used. Therefore, a conjugate gradient method with

regularization of minimization problem is a strong competitor for other well known methods. The latter method may successfully cope with high dimensionality. Therefore, the real difficulty is caused by the multimodality of the *STRESS*.

The majorization method, which is especially tailored for MDS, may escape some local minima. However, like the other local methods, it provides a solution essentially depending on a starting point [1]. A local descent may be extended for multimodal problems using the tunneling approach. The possibilities of such an extension for MDS are discussed in [1]. The combination of majorization method with genetic type choice of starting points was proposed in [5]. In the latter the genetic algorithm based method of Mathar and Žilinskas [7] was modified substituting a variable metric local descent with majorization method. The results of limited experimental testing showed that a genetic type approach can be suitable for global minimization of (1). In the references on “nonlinear mapping” various versions of descent method are of primary interest. However, combinations of descent with general global search methods, e.g. simulated annealing, are claimed promising in [2].

The proposed combinations of a local descent method and global search normally consider the *general global search* schemas. The idea of this paper is to tailor a *specific version* of a genetic type global search based on assumptions on the features of the *STRESS*.

The majority of the authors consider the unconstrained minimization of (1). In such a case the same minimum value may be obtained at different points on the orbit of local minimizers corresponding to invariance of  $f(X)$  with respect to translation and rotation of the embedding space. Therefore several copies of the same local minimum may be obtained, but with very different minimizers. It is difficult to handle such information on local minima to perform rational search for a global minimizer. In our conjugate gradient algorithm the orthogonalization (2) prevents multiplication of the minimizers. The analysis carried out for several sets of data shows that different local minimizers are located rather close each to other. Geometrically this feature of the *STRESS* may be explained as a small structural difference between the graphs in the 2-dimensional embedding space corresponding to different local minimizers of  $f(X)$ . The geometric interpretation implies a hypothesis that graphs corresponding to local minimizers are composed of similar semi-optimal sub-graphs.

Different local minima are considered as the ideal representatives of different breeds. They are used for crossover. The initial population of the size  $p$  is generated by means of local descent method from the random initial points. The parents are chosen at random with uniform distribution. The structure of chromosomes is not known. The graph in the embedding space is considered the phenotype. The hypothesis is accepted that crossover of chromosomes imply the crossover of characteristics of phenotype. The latter is modeled as the crossover of the graphs in the embedding space, i.e. some points  $x_i \in R^2$  of one parent graph and remaining points of the other parent graph are taken to compose the descendant graph. The break position is generated randomly with uniform distribution in the interval  $[1, n]$ . The larger number of points is taken from the fittest parent. The mutation is modeled as the random summands to the components of graph coordinates; the distribution of the random variable is uniform in the interval  $[-r, r]$ . Two selection mechanisms have been investigated: 1) the descendants survive and the parents die; 2) each descendant competes with a randomly chosen individual of current population. The number of generations modeled to find the global minimum is denoted  $g$ .

## EXPERIMENTAL TESTING

To assess the efficiency of the regularized conjugate gradient method (CG) for local minimization of (1) CG was compared with the known method based on

majorization approach (MA) [5]. The convergence of MA to local minimum point is proved, e.g. in [6]. Moreover, it may be expected that bad local minima will be avoided. Both methods (CG and MA) were implemented in MATLAB.

Two known sets of data were used. The first set, presented in Table 1 a), contains  $\delta_{ij}$  for ten soft drinks whose dissimilarities are obtained by means of experimental testing [1]. The second set of data corresponding to the proximities of 13 facial expressions [1] is presented in Table 1 b).

Table 1. Data for visualization.

a)

1.27	1.69	2.04	3.09	3.20	2.86	3.17	3.21	2.38
	1.43	2.35	3.18	3.22	2.56	3.18	3.18	2.31
		2.43	3.26	3.27	2.58	3.18	3.18	2.42
			2.85	2.88	2.59	3.12	3.17	1.94

b)

0.405			1.55	3.12	1.31	1.70	2.85
0.825	0.254			3.06	1.64	1.36	2.81
0.557	0.269	0.211			3.00	2.95	2.56
						1.32	2.91
0.115	0.267	0.898	0.378				2.97
0.297	0.388	0.927	0.605	0.234			
0.434	0.853	1.187	0.978	0.712	0.136		
0.490	0.131	0.256	0.421	0.590	0.518	0.847	
0.625	0.188	0.074	0.045	0.477	0.545	1.020	0.263
0.155	0.484	0.925	0.492	0.222	0.417	0.544	0.545
0.168	0.581	0.792	0.542	0.434	0.472	0.431	0.379
0.657	0.743	0.830	0.893	0.816	0.466	0.157	0.649
0.393	0.451	0.847	0.348	0.160	0.489	0.918	0.605
							0.655
							0.412
							0.351
							1.265

To compare the performance of both methods 100 runs have been performed with both sets of test data. The starting points were generated randomly with uniform distribution in the cube  $[-1.2, 1.2]^N$ . Both methods used the same random starting point and the same stopping condition:  $\|\nabla f(X_k)\| = \varepsilon < 0.001$ . The averaged values of results are presented in Table 2.

Table 2. The comparison of the performance of CG and MA algorithms

	<i>STRESS</i>	Time (s)	Iterations
CG, Test 1	13.18	2	36
MA, Test 1	13.30	5	213
CG, Test 2	0.684	2	22
MA, Test 2	0.684	3	77

The known best value of the *STRESS* with the first set of data is 11.746, and region of attraction of the corresponding minimizer makes 4% of the feasible region. By means of CG a minimizer with the value better than 11.75 has been found five times, and by means of MA has been found once. 75 times the value found by means of CG was better than the value found by means of MA.

The second set of data defines the *STRESS* function, which is very likely unimodal. All 100 runs for both methods stopped in the vicinity of the same local minimizer. Average time of minimization of this rather simple function by CG is again considerably better than by MA. In all runs a found minimum was slightly better for CG than for MA.

Time of local descent to a local minimizer depends on dimensionality of a problem and on the stopping condition. The dimensionality of minimization problems corresponding to Test 1 and Test 2 is equal to 20 and 26 correspondingly. The third test problem is 2-dimensional representation of vertices of the 5-dimensional cube. The vertices are numbered according their digital representation. Since the number of vertices is equal to 32, then the dimensionality of the minimization problem is equal to 64. The local descent for the problems of such a dimensionality is time consuming. In the Table 3 the results of two runs are presented. The results show that the time of local descent for 64-dimensional problem is considerably larger than the time for the 20-dimensional cases. The solution with the prescribed tolerance of gradient norm by means of MA was not found.

Table 3. Dependence of computing time on the stopping condition

	Time (s)	Iterations	Time (s)	Iterations
	$\varepsilon = 0.001$		$\varepsilon = 0.01$	
CG	35	73	32	63
MA	228	1000	228	1000

Since the CG has been shown faster than MA, the former was used to construct a global search algorithm. The size of population, number of generations, crossover method, and mutations intensity has to be chosen experimentally. The experiments were performed with the Test 1. Summarizing the results, the following parameters may be recommended:  $p=10$ ,  $g=3$ , competition selection mechanism,  $r=0.3$ . The averaged results of 100 runs for Test 1 are the following: the *STRESS* value equal to 11.77, number of line search iterations equal to 812, minimization time equal to 351. Minimal function value with accuracy no less than 1% was found 95 times. The average results obtained by means of evolutionary algorithm are considerably better than those obtained by means of local descent method from the random initial points.

The evolutionary algorithm was applied also to Test 3. The best-found value of the *STRESS* function was 141.11, number of line search iterations was 1470, and solution time was 7044. The 2-dimensional image of vertices, corresponding to the global minimizer, is presented in Fig.1 (left-hand side). In Fig.1 (right-hand side) the image corresponding to a local minimizer is presented. Although the difference of the *STRESS* values is insignificant, there are clearly visible differences of the images.




Fig 1. 2-dimensional image of vertices of 5-dimensional cube: global minimum on the left - 141.11; local minimum on the right - 141.63.

The 2-dimensional images of the results on search process may be useful for understanding of character of multimodal objective functions. In Fig.2 the images of

trajectories of local search from seven random initial points (squares) are presented. The function (1) with the data of Test 1 was minimized. The picture supports the hypothesis that different local minimizers of (1) are close each to other.




Fig 2. Two-dimensional image of descent trajectories in 20 - dimensional space

### CONCLUSIONS

The hybrid method combining genetic type algorithm with a conjugate gradient descent routine is prospective to solve a difficult global minimization problem of MDS. The latter is useful for visualization of information on a global search process.

### REFERENCES

- [1] Borg I., and P. Groenen. *Modern Multidimensional Scaling*, NY: Springer, 1997.
- [2] Dzwiniel W. How to make Sammon's mapping useful for multidimensional data structures analysis, *Pattern Recognition* Vol.27, No.7, 949-959, 1994.
- [3] Kruskal J. Multidimensional scaling by optimizing goodness of fit to a nonmetric hypothesis. *Psychometrika*, Vol.29, 1-27, 1964.
- [4] De Leeuw J. Differentiability of Kruskal's *STRESS* at a local minimum, *Psychometrika*, Vol.49, 111-113, 1984.
- [5] Mathar R. A hybrid global optimization algorithm for multidimensional scaling, *Classification and Knowledge Organization*, Eds. R.Klar and O.Opitz, Springer, 63-71, 1996.
- [6] Mathar R. *Multidimensionale Skalierung, Mathematische Grundlagen und Algorithmische Konzepte*, Preprint, RWTH Aachen, 44p, 1995.
- [7] Mathar R., and A. Žilinskas. On global optimization in two – dimensional scaling, *Acta Applicandae Mathematicae*, Vol.33, 109-118, 1993.
- [8] Sammon J. A nonlinear mapping for data structure analysis, *IEEE Trans. Comput.* Vol.C-18, 401-409, 1969.
- [9] Žilinskas A. On quadratic convergence of a visualisation algorithm. *Proc. of 4<sup>th</sup> International Conference on Pattern Recognition and Information Processing, Minsk-Szczecin*, Vol.1, 200-204, 1997.

### ABOUT THE AUTHORS

Principal researcher, Head of the Sector Antanas Zilinskas, Prof. Dr. Habil., Optimization Sector at Systems Analysis Department, Institute of Mathematics and Informatics, Phone: +370 5 21 09 338, E-mail: antanasz@ktl.mii.lt.

Senior researcher Audrone Jakaitiene, Dr., Optimization Sector at Systems Analysis Department, Institute of Mathematics and Informatics, Phone: +370 5 21 09 304, E-mail: audrone.jakaitiene@ktl.mii.lt.